

- (5):654-659.
- [4] 吴晓羽,李硕,王仕峰. 废旧轮胎热裂解技术的研究进展[J]. 特种橡胶制品,2015,36(6):71-75.
- [5] Martínez J D,Murillo R,García T. Production of Carbon Black from the Waste Tires Pyrolysis[J]. Bol Grupo Español Carbón, 2013, 42(12):10-14.
- [6] Norris C J,Hale M,Bennett M. Pyrolytic Carbon:Factors Controlling in-Rubber Performance[J]. Plastics Rubber and Composites,2014,43(8):245-256.
- [7] Mui E L K,Ko D C K,McKay G. Production of Active Carbons from Waste Tyres a Review[J]. Carbon,2004,42(14):2789-2805.
- [8] Zhou J, Yu T, Wu S, et al. Inverse Gas Chromatography Investigation of Rubber Reinforcement by Modified Pyrolytic Carbon Black from Scrap Tires[J]. Industrial & Engineering Chemistry Research,2010,49(4):1691-1696.
- [9] Zhou J, Wu S, Yu T, et al. Modified Pyrolytic Carbon Black from Scrap Tires and Its Reinforcement Performance in Natural Rubber[J]. IEEE Computer Society,2011,79(8):472-475.
- [10] Locati G, Fantuzzi A, Consonni G, et al. Effect of Polycyclic Aromatic Hydrocarbons and Carbon Black Particles on Pro-inflammatory Cytokine Secretion: Impact of PAH Coating onto Particles[J]. Journal of Immunotoxicology,2008,5(3):337-345.
- [11] Rodat S, Abanades S, Flamant G. Co-production of Hydrogen and Carbon Black from Solar Thermal Methane Splitting in a Tubular Reactor Prototype[J]. Solar Energy,2010,85(4):645-652.
- [12] Cardona N,Campuzano F,Betancur M, et al. Possibilities of Carbon Black Recovery from Waste Tyre Pyrolysis to be Used as Additive in Rubber Goods—a Review[J]. IOP Conference Series Materials Science and Engineering,2018,5(3):437.
- [13] 王静,黄义钢,王越,等. 废旧轮胎热裂解炭黑在全钢载重子午线轮胎内衬层胶中的应用[J]. 轮胎工业,2019,39(1):30-33.
- [14] 王永军,陈春花,辛振祥. 改性热解炭黑的结构表征及其在丁苯橡胶中的应用[J]. 橡胶工业,2018,65(5):64-69.
- [15] 王建功,黄义钢,王静,等. 废旧轮胎裂解炭黑在半钢子午线轮胎胎面胶中的应用[J]. 轮胎工业,2019,39(4):214-217.

收稿日期:2020-07-23

Application of Pyrolysis Carbon Black in Tread Compound of Forklift Tire

MA Licheng¹, HAN Lili¹, WEI Yushan¹, LENG Shuai¹, MENG Deying¹, XIAO Qingchen¹, TANG Xiaowu², XUE Lin²

(1. Qingdao Ecostar Technology Co., Ltd, Qingdao 266400, China; 2. Qingdao Doublestar Tire Industry Co., Ltd, Qingdao 266400, China)

Abstract: The application of pyrolysis carbon black (CBp) in the tread compound of forklift tire was studied. The results showed that, when carbon black N550 was equivalently replaced by CBp in the tread compound, the Mooney viscosity of the compound decreased, the Mooney scorch time of the compound was similar as the dosage of CBp was 20 phr, the tensile modulus and tensile strength of the vulcanizate decreased, the elongation at break and tear strength increased, and the dispersion of carbon black decreased. The wear resistance of the vulcanizate with modified CBp was better than that of the compound with unmodified CBp. The production cost could be significantly reduced when carbon black N550 was equivalently replaced by CBp.

Key words: waste tire; pyrolysis carbon black; forklift tire; tread compound; wear resistance; physical property; production cost

一种用于防爆轮胎气密层的胶料及其制备方法

由四川远星橡胶有限责任公司申请的专利(公布号 CN 111732792A, 公布日期 2020-10-02)“一种用于防爆轮胎气密层的胶料及其制备方法”,公开了一种用于防爆轮胎气密层的胶料,配方为溴化异丁烯-对甲基苯乙烯橡胶 60~100,聚异戊二烯橡胶 0~40,炭黑N660

10~50,白炭黑 0~45,软化剂 3~5,氧化锌 2~5,硬脂酸 1~3,树脂 2~5,均匀剂 1~2,烷基酚二硫化物 0~1,交联剂 0.5~1,促进剂 1.5~2;采用两段混炼工艺。所得胶料炭黑分散度等级高,可稳定控制在7.5以上;透气系数较小;疲劳性能达到140万次无裂纹。成品轮胎静置气压监测每月变化小于2.5%。

(本刊编辑部 马 晓)